Wireflow

$\langle |$

0311


Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with four LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet







Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

Finish	O4 Black RAL 9005
LED temperature color	2700 K / 3000 K / 3500 K
Dimming	DALI 1-10V Push / CASAMBI
Instalation type	Surface Canopy
Materials	Ceiling rose: Steel Body: Aluminum Horizontal rods: Steel
Light source	4 x LED 4,48W 350mA
LED	CRI>90 1961 lm 109 2700 K / 3000 K / 3500 K
Driver	Constant Current 350 110~240 V V 50~60 Hz HZ
	↓ F/ Dimmable LED IP20 Bi-volt 50-60Hz
Application	Hanging lamps
Packaging	2 Box 0.833 m x 0.819 m x 0.086 m Gross weigth 8.5 Net weigth 7.15 Vol. 0.1027

the light in all directions.

Lighting effect General Lighting



Total Flux


Photometric Data

Efficiency Coordinate System 40.11% CG 1961 53.86

Lamp for general lighting that equally distributes

Other Applications

Maximum Value



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain. customer.service@vibia.com vibia.com