



iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B

BESCHIKBAAR IN
ZWART 24211 9210 B
WIT 24211 9210 W



 [Bekijk op website](#)

Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Inbouw
ZAAGMAAT/OPENING (MM)	rond - 98
INBOUWDIEPTE (MM)	155
DIKTE MONTAGEOPPERVLAK (MM)	max.25
STOF EN WATERDICHTHEID	IP20 or IP54 (with TUBE IP)
GEWICHT (KG)	0.5
RICHTBAARHEID	0° tot 30° zwenkbaar, 355° roteerbaar
INFO	LENS SP-18° EXCL.LED POWER SUPPLY 350-500mA-DC

Elektrische info

KLASSE	III
DIM TYPE	afhankelijk van de te kiezen externe voeding
ENERGIE KLASSE	E
CERTIFICATEN	CB, EAC, ENEC

Info lichtbron

LIGHTSOURCE NAME	LED
LICHTBRON	LED array 11,6-17,2W / CRI>90 (R9: 60) / 2700K / 1458-2009lm
TM-30-15 WAARDEN	Rf: 89 / Rg: 100
SDCM	SDCM1
RISK-GROEP	RG1
LM80	L90B10 > 50000
LED TECHNIEK (LICHTBRON)	2009lm // 17,2W // 117lm/W
LED TECHNIEK (TOESTEL)	1387lm // 20W // 70lm/W

Benodigheden

iMAX II TUBE ROUND
LED POWER SUPPLY 350 / 500mA-DC DIM

Accessoires









iMAX II ACCESSOIRES

iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B

Voor gedetailleerde montage gegevens, consulteer de handleiding: [24211_XXXX_HAND.pdf](#)

PLAFOND COMPATIBILITEIT


Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT FLUSH iMAX II ROUND	Required
 Plasterboard	 MOUNTING KIT FLUSH iMAX II ROUND	Required
 Stucanet	 MOUNTING KIT FLUSH iMAX II ROUND	Required
 Wood	-	
 Stretched ceiling	-	

iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B


LED voedingen

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->2(2) / 1->2(2)



300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1(1) / 1(0)




300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

1->3(3) / 1->3(2)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1(1) / 1(0)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1(1) / 1(0)




21012 0010 LED POWER SUPPLY MULTI POWER

1/1




21012 0021 LED POWER SUPPLY MULTI POWER DIM1

1/1



21012 0035 LED POWER SUPPLY MULTI POWER DIM5

1/1




21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

1/1


iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

1




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

1




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1/1



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1




21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1


iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B


Light veranderende onderdelen



24213 0050 B iMAX II HONEYCOMB B



24213 0060 iMAX II GLASS SBL



24213 0070 iMAX II LINEAR SPREAD LENS



24213 0090 iMAX II SOFTENING LENS



24213 0100 iMAX II SPREAD LENS

iMAX II ROUND ADJUSTABLE MP 92718 B

24211 9210 B

Maak je product af



24213 0010 B


iMAX II TUBE ROUND B

24213 0010 MMAT

iMAX II TUBE ROUND MMAT

24213 0010 W

iMAX II TUBE ROUND W



24213 0040 B

iMAX II TUBE ROUND IP B

24213 0040 MMAT

iMAX II TUBE ROUND IP MMAT

24213 0040 W

iMAX II TUBE ROUND IP W

Notes: