





HALOSCAN CLIP MP SOFT 93014 W

23118 9010 W

BESCHIKBAAR IN
ZWART 23118 9010 B
WIT 23118 9010 W



 [Bekijk op website](#)

Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Inbouw, Plafond Opbouw
ZAAGMAAT/OPENING (MM)	rond - 51
INBOUWDIEPTE (MM)	40
STOF EN WATERDICHTHEID	IP20
GEWICHT (KG)	0.3
RICHTBAARHEID	0° tot 45° zwenkbaar, 355° roteerbaar
INFO	LENS SP-14° EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Elektrische info

KLASSE	III
DIM TYPE	afhankelijk van de te kiezen externe voeding
ENERGIE KLASSE	E
CERTIFICATEN	CB, ENEC

Info lichtbron

LIGHTSOURCE NAME	LED
LICHTBRON	LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm
TM-30-15 WAARDEN	Rf: 90 / Rg: 99
SDCM	SDCM2
RISK-GROEP	RG1
LM80	L90B10 > 50000
LED TECHNIEK (LICHTBRON)	623lm // 6W // 105lm/W
LED TECHNIEK (TOESTEL)	532lm // 7W // 77lm/W

Benodigheden

LED POWER SUPPLY 350mA-DC DIM

Opties

MOUNTING KIT FLUSH SPY

HALOSCAN CLIP MP SOFT 93014 W

















23118 9010 W

Accessoires

HALOSCAN HONEYCOMB
HALOSCAN LINEAR SPREAD LENS
HALOSCAN KAP MP

Voor gedetailleerde montage gegevens, consulteer de handleiding: [23118_XXX0_HAND.pdf](#)

PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit	
 System ceiling	 MOUNTING KIT FLUSH SPY	Required
 Plasterboard	 MOUNTING KIT FLUSH SPY	Required
 Stucanet	 MOUNTING KIT FLUSH SPY	Required
 Wood	-	
 Concrete	-	
 Concrete + plaster	 MOUNTING KIT FLUSH SPY	Required
 Lintel + plaster	 MOUNTING KIT FLUSH SPY	Required
 Hollow-core slab	-	
 Hollow-core slab + plaster	 MOUNTING KIT FLUSH SPY	Required
 Stretched ceiling	-	


HALOSCAN CLIP MP SOFT 93014 W

23118 9010 W

VERVOLLEDIG UW SPECIFICATIE


LED voedingen

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->4(4)




300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1->2(2)




300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1->2(2)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1->2(2)




21012 0021 LED POWER SUPPLY MULTI POWER DIM1

1->3




21012 0035 LED POWER SUPPLY MULTI POWER DIM5

1->3



21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->3




21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2


HALOSCAN CLIP MP SOFT 93014 W

23118 9010 W




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->2



21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8


1



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1->2

Montage kit




414 90 01 MOUNTING KIT FLUSH SPY


Light veranderende onderdelen



23110 0040 HALOSCAN LINEAR SPREAD LENS



23110 0050 B HALOSCAN HONEYCOMB B



23110 0060 B HALOSCAN KAP MP B

23110 0060 W HALOSCAN KAP MP W



HALOSCAN CLIP MP SOFT 93014 W

23118 9010 W

Notes: