

FLOS

05.7030.EQ Copper

Easy Kap Ø 105 Fixed EVO NEW

Designed by FLOS Architectural, 2019



Recessed 12V lamp luminaire. Remote transformer not included. Installation frame not necessary.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED
Lamp type	QR-CBC 51
Lamp holders	GX5.3

Physical

Colour	Copper
Trim	Yes
Orientation	Fixed
Recessed depth (mm)	134
Spot diameter (mm)	111
Net weight (kg)	0.23
IP internal	54
IP external	54



Download


[Mounting instructions](#)



Ecodesign and Energy Labelling



Replaceable (LED only) light source by an end-user



Replaceable control gear by a professional



Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	0
Forward voltage (V)	12
Driver	Remote excluded
Dimming type	Electronic 12V

Notes

Not suitable for lens accessories.

Accessories & Power Supply



OPTIONAL
Power supply

Electrical

60.9424

12V Electronic Transformer 35-105W



OPTIONAL
Power supply

Electrical

60.9398

12V Electronic Transformer 20-70W