



DEEP RINGO LED 92733 GC

202 272 811 922 GC

BESCHIKBAAR IN

ZWART 202 272 811 922 B

ALU GEBORSTELD 202 272 811 922 BRA

GEBORSTELD ANTRACIET 202 272 811 922 BRAT

GEBORSTELD KOPER 202 272 811 922 BRCU

GEBORSTELD GOUD 202 272 811 922 BRG

GEBORSTELD OUD BRONS 202 272 811 922 BROB



FLEMISH BRONZE 202 272 811 922 FBR

FLEMISH GOLD 202 272 811 922 FG

GOUD KLEUR 202 272 811 922 GC

PIANO ZWART 202 272 811 922 PB

WIT 202 272 811 922 W



 [Bekijk op website](#)

Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Inbouw
ZAAGMAAT/OPENING (MM)	rond - 76
INBOUWDIEPTE (MM)	90
DIKTE MONTAGEOPPERVLAK (MM)	min.5
STOF EN WATERDICHTHEID	IP43/20
GEWICHT (KG)	0.2
RICHTBAARHEID	niet richtbaar
INFO	REFLECTOR FL-33° EXCL.LED POWER SUPPLY 350-500mA-DC

Elektrische info

KLASSE	III
DIM TYPE	afhankelijk van de te kiezen externe voeding
ENERGIE KLASSE	E
CERTIFICATEN	CB, EAC, ENEC

Info lichtbron

LIGHTSOURCE NAME	LED
LICHTBRON	LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm
TM-30 WAARDEN	Rf: 89 / Rg: 100
SMDC	SDCM1
RISK-GROEP	RG1
LM80	L90B10 > 50000
LED TECHNIEK (LICHTBRON)	1041lm // 8,6W // 121lm/W
LED TECHNIEK (TOESTEL)	768lm // 10W // 78lm/W

Benodigdheden











LED POWER SUPPLY 350 / 500mA-DC DIM

DEEP RINGO LED 92733 GC

202 272 811 922 GC


Voor gedetailleerde montage gegevens, consulteer de handleiding: [202_272_811_XXX_HAND.pdf](#)

PLAFOND COMPATIBILITEIT

Ceiling Type	Mounting Kit
 System ceiling	-
 Plasterboard	-
 Stucanet	-
 Wood	-
 Concrete	-
 Concrete + plaster	-
 Lintel + plaster	-
 Hollow-core slab	-
 Hollow-core slab + plaster	-
 Stretched ceiling	-

VERVOLLEDIG UW SPECIFICATIE

Noodunits



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B


21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W

DEEP RINGO LED 92733 GC

202 272 811 922 GC


LED voedingen

#




300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->3(3) / 1->3(3)




300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1->2(1) / 1->2(1)




300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9

2->5(5) / 1->5(3)




300 90 124 LED POWER SUPPLY MULTI-POWER DIM7

1->2(1) / 1(1)




300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5

1->2(1) / 1(1)




21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->2 / 1->2




21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

1



21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

1




21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

2->2


DEEP RINGO LED 92733 GC

202 272 811 922 GC




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2 / 1



21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1



21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1

Notes: